

# DURABILITY, STYLE & ENERGY EFFICIENCY



Leading the market in quality and innovation, our uPVC window profiles are crafted to deliver exceptional durability, energy efficiency, and modern design for every space.

## Premium uPVC Window Profiles



## ABOUT US

Raviraja Industries Pvt. Ltd. is a leading manufacturer of uPVC profiles, equipped with state-of-the-art modern technologies. Our mission is to integrate advanced knowledge, cutting-edge technology, and years of expertise to deliver superior quality and innovative designs. We utilize European technologies and methodologies to create products that inspire and set market benchmarks.

## WHAT DISTINGUISHES US



**Durable**



**Energy Efficient**



**Aesthetically  
Appealing**



**Sound-proof**



**Safe & Secure**



**Eco-friendly**



**Weatherproof**



**Termite-proof**

- We proudly produce LEAD-FREE uPVC profiles that are environmentally friendly and fully recyclable.
- Our raw materials are primarily sourced from India, with additional inputs from globally renowned suppliers in France, Japan, and Korea.
- Raviraja Industries manufactures uPVC profiles with exceptional designs, developed in collaboration with some of the world's most advanced mold-making companies.



**ENGINEERED  
FOR  
STRENGTH**

## INFRASTRUCTURE

Raviraja Industries is proud to feature a cutting-edge, state-of-the-art infrastructure that spans an expansive area of 10,000 square meters. Designed to meet the highest standards of efficiency and innovation, our production facility is equipped with fully automated machinery and advanced equipment, enabling seamless and precise manufacturing processes.

With a robust production capacity of 3,600 metric tons per annum, we are committed to delivering high-quality products that meet diverse industry demands. Our infrastructure reflects our dedication to excellence, reliability, and scalability, positioning us as a trusted leader in the industry.




## QUALITY & INNOVATION


- We proudly produce lead-free uPVC profiles that are environmental friendly, durable, and easily reusable.
- The primary raw materials are sourced domestically within India, along with additional premium materials from France, Japan, and Korea.
- Raviraja Industries manufactures uPVC profiles with innovative designs, developed in collaboration with one of the world's leading mold companies to ensure superior quality and precision.




**PREMIUM SLIDING SERIES**




**2 Track - 62**  
RST-62T  
Mtr wt-0.947




**2.5 Track - 92**  
RST-92T  
Mtr wt-1.287




**3 Track - 112**  
RST-112T  
Mtr wt-1.658




**Small Sash - 59**  
RSS-59SS  
Mtr wt-0.873




**Medium Sash - 67**  
RSS-67MS  
Mtr wt-0.955




**Big Sash - 84**  
RSS-84BS  
Mtr wt-1.213




**Mesh - 53**  
RSM-53M  
Mtr wt-0.483




**Mesh Mullion - 62**  
RSM-62MM  
Mtr wt-0.611




**Sash Mullion - 42**  
RSM-42SM  
Mtr wt-0.744



**Double Glaze Bead - 9.5**  
RSB- 11.5 DGB  
Mtr wt-0.200




**Bead - 24.5**  
RSB-24.5SB  
Mtr wt-0.260




**Inter Lock - 44**  
RSI-44IL  
Mtr wt-0.206


## ECO-SLIDING SERIES




**2 Track - 53**  
RST-53ET  
Mtr wt-0.825




**2.5 Track - 80 Series**  
RST-80ET  
Mtr wt-1.181




**3 Track - 95 Series**  
RST - 95ET  
Mtr wt-1.346




**Sash - 60X35**  
RSS-60ES  
Mtr wt-0.776



**Mesh - 53**  
RSM-53M  
Mtr wt-0.483




**Interlock - Small**  
RSI - 38EIL  
Mtr wt-0.192




**Bead - 17.5**  
RSB - 17.5EB  
Mtr wt-0.185


## ECO-CASEMENT SERIES



**Small Casement Frame - 42**  
RSC - 42EVF  
Mtr wt-0.585




**Sash Mullion - 42**  
RSM-42ESM  
Mtr wt-0.744




**Bead - 24.5**  
RSB-24.5ESB  
Mtr wt-0.260


## CASEMENT SERIES




**Small Casement Frame - 42**  
RSC - 42VF  
Mtr wt-0.585




**Casement Outer - 60**  
RSC - 60 OF  
Mtr wt-1.030




**Casement Outer - 72**  
RSC - 72 OF  
Mtr wt-1.246




**Casement T - Mullion - 74**  
RSC - 74 TM  
Mtr wt-1.069




**Outward Window Sash - 78**  
RSC - 78 WO  
Mtr wt-1.246




**Z - Mullion - 74**  
RSC - 74 ZM  
Mtr wt-1.109




**Casement Fly Mullion**  
RSC - 60FM  
Mtr wt-0.895



**Casement Outward Door Sash**  
RSC - 104 OD  
Mtr wt-1.559




**Casement Inward Door Sash**  
RSC - 104 ID  
Mtr wt-1.621




**Casement Big Bead - 35**  
RSB - 35 CB  
Mtr wt-0.347


## AUXILLARIES




**H-Coupler**  
RSA - HC  
Mtr wt-0.119




**Mesh Connector**  
RSA - 11 MC  
Mtr wt-0.134




**Track Connector**  
RSA - 38 TC  
Mtr wt-0.389




**Door Pannel Board**  
RSA - 12 P  
Mtr wt-0.526




**Sliding Sash Connector**  
RSA - 22 SA  
Mtr wt-0.364




**Openable Mesh**  
RSM - 68 OM  
Mtr wt-0.866



**Corner Joint Copuler - 60-92**  
RSA - 92 CJC  
Mtr wt-0.347




**Corner Joint Copuler 60 - 112**  
RSA - 112 CJC  
Mtr wt-0.443




**Add On Track**  
RSA - 50 AT  
Mtr wt-0.492


## AUXILLARIES



**Gorgian Bar**  
RSA - 25 GB  
Mtr wt-0.137




**Baypole 60-60**  
RSA - 60B  
Mtr wt-0.703



**Baypole 60-92**  
RSA - 92B  
Mtr wt-0.904

## COLOUR OPTIONS



White




Grey




Black

## LAMINATE COLOUR OPTIONS



Golden Oak



Walnut



Mahogany



Grey



**PREMIUM UPVC  
WINDOWS  
CRAFTED TO  
GERMAN  
STANDARDS**

Our uPVC windows are meticulously crafted following the highest German engineering standards, ensuring superior quality, durability, and performance. Designed for energy efficiency, noise reduction, and enhanced security, our windows feature advanced multi-chamber profiles, precision sealing, and high-grade hardware. With weather-resistant properties and minimal maintenance requirements, they offer long-lasting elegance and functionality, making them the perfect choice for modern homes and commercial spaces.


# ASSEMBLY

## .CORNER JOINT COUPLER - 60 -92


FIXED FRAME & 2.5 TRACK




2 TRACK & 2.5 TRACK




## .MESH CONNECTOR



59 SASH AND 24.5 BEAD WITH MESH CONNECTOR





OPENABLE MESH AND 17.5 BEAD WITH MESH CONNECTOR




## .CORNER JOINT COUPLER - 60 -112




FIXED FRAME & 3 TRACK



2 TRACK & 3 TRACK




SMALL SASH TO SMALL SASH




BIG SASH TO SMALL SASH

## .H - COUPLER



2 TRACK TO FIXED FRAME



FIXED FRAME TO FIXED FRAME




2 TRACK TO FIXED FRAME




## .BAYPOLE 60-60



2 TRACK TO 2 TRACK



## .TRACK CONNECTOR





2 TRACK TO 2 TRACK




3 TRACK TO 3 TRACK

## .BAYPOLE 60-92

2 TRACK TO 2.5 TRACK





OUTER FRAME TO 2.5 TRACK



## ADD ON TRACK

2 TRACK TO ADD ON TRACK





**भारतीय मानक ब्यूरो**  
**BUREAU OF INDIAN STANDARDS**  
(मानक चिन्ह लगाने का अनुज्ञप्ति (लाइसेंस)  
Licence for the use of STANDARD MARK

लाइसेंस सं. सीएम/एल- 6300139003

Licence No. CML- 6300139003

यह ब्यूरो, भारतीय मानक ब्यूरो अधिनियम, 2016 (2016 का 11) द्वारा प्रदत्त शक्तियों के आधार पर

मेसर्स : रविराजा इंडस्ट्रीज प्राइवेट लिमिटेड

प्लॉट नंबर 488, सर्वे नंबर 682,693 से 697,699,701,702,704 से 709,711 से 717

दंदुमलकापुर इंडस्ट्रियल पार्क, चौटुप्पल

यादाद्री भुवनगिरी (जिला), तेलंगाना, 508252

को (जिसे इसमें आगे 'अनुज्ञप्तिधारी' कहा गया है) इसकी प्रथम अनुसूची के पहले स्तंभ में विनिर्दिष्ट मानक चिन्ह का इस अनुसूची के तीसरे स्तंभ में दी गई किस्मों पर, उपयोग करने के लिए अनुज्ञप्ति प्रदान करता है। इन उत्पादित किस्मों पर चिन्ह का उपयोग उक्त अनुसूची के द्वितीय स्तंभ में समय-समय पर संशोधित अथवा पुनरीक्षित/संदर्भित संबंध भारतीय मानक (मानकों) के अनुसार/अनुरूप विनिर्मित हो।

1. By virtue of the power conferred on it by the BUREAU OF INDIAN STANDARDS ACT, 2016 (11 of 2016) the BUREAU hereby grants to

**M/s Raviraja Industries Private Limited**

**Plot no 488, Sy. No. 682,693 to 697,699,701,702,704 to 709,711 to 717**

**Dandumalkapur Industrial Park, Choutuppall**

**Yadadri Bhuvanagiri(Dist), Telangana, 508252**

(hereinafter called the Licensee) this licence to use the Standard Mark set out in the first column of the Schedule hereto, upon or in respect of the varieties set out in the third column of the said Schedule which is manufactured in accordance with/conforms to the related Indian Standard(s) referred to in the second column of the said Schedule as from time to time amended or revised.

2. इस अनुज्ञप्ति में अनुबंध अनुज्ञप्ति की शर्तों के लिए अनुज्ञप्तिधारी उत्तरदायी हैं। यह अनुज्ञप्ति पहली अनुसूची में यथा-उल्लिखित नाम, कारखाना के पते और अवधि के लिए विधिमान्य होगा और इसे स्कीम-1 में निर्दिष्टानुसार नवीकृत कराया जा सकता है।

2. This licence carries the obligations on the part of licence as condition of licence which are given in Annexure attached herewith. The licence shall be valid for the name, factory address and period as mentioned in the schedule and may be renewed as specified in the scheme-I.



# ATMY ANALYTICAL LABS PVT.LTD.

(NABL/ISO 17025 Accredited Laboratory)

I-30, DLF Industrial Area, Phase-1, Faridabad (Haryana) INDIA  
Phone: +91-129-4019544  
info@atmylabs.com, www.atmylabs.com



• Testing  
• Research  
• Innovation

TC-6528

## TEST REPORT

Page 1 of 4

ULR - TC652825000001774F

Report No.: 2504090068


Date: 14-04-2025

Issued To:

**M/s RAVIRAJA INDUSTRIES PRIVATE LIMITED**

H No. 3-9-388/P51, saraswathi nagar, old check post, Opp SNR  
Sri Sri Kalakuteers Apartment, chintalkunta, Hyderabad,  
Rangareddy, Telangana, 500074

Sample Description : SCRAFT - UPVC SAMPLE - 1  
Sample Received Date : 09-04-2025  
Sample Drawn By : Client  
Specification : --  
Test Requested : RoHS 10 ELEMENT (Pb,Cd,Hg,Cr6,PBB,PBDE,Phthalates)  
Test Method : Refer to Attached Pages.  
Test Result : Refer to Attached Pages.



### SAMPLE PICTURE



Authentication: To Check authenticity of Test report (s), Scan QR code to get original data.

### BIS, DGQA & Various Govt. Approved Laboratory

ISO 9001 : 2015, ISO 14001:2015 & OHSAS 18001:2007 Certified Laboratory

#### Terms & Cond

1. Sample will not be retained more than one month for chemical and three month for mechanical unless specified instructed. 2. Samples analysis conducted on as received basis and followed by customer description, unless specified otherwise. 3. The laboratory will not be liable for sample destroy/damage during testing, unless instructed otherwise. 4. The statement of conformity furnished herewith based on decision rule ATMY/LAB/D.R.C.S/65 of our laboratory 5. Any Complaints matter about this report should be communicated in written, within 7 days of issue of this report. 6 The result listed refer only to the tested samples and applicable parameters as described by customer. Endorsement of product is neither inferred nor implies. 7. Total liability of our laboratory is limited to the invoiced amount only. 8. This report cannot be used as and evidence in a court of law without the written approval of the laboratory.

MSF5.10.01





# ATMY ANALYTICAL LABS PVT.LTD.

I-30, DLF Industrial Area, Phase-1, Faridabad (Haryana) INDIA  
Phone: +91-129-4019544  
info@atmylabs.com, www.atmylabs.com

• Testing  
• Research  
• Innovation



# ATMY ANALYTICAL LABS PVT.LTD.

I-30, DLF Industrial Area, Phase-1, Faridabad (Haryana) INDIA  
Phone: +91-129-4019544  
info@atmylabs.com, www.atmylabs.com

• Testing  
• Research  
• Innovation

## TEST REPORT

Page 4 of 4  
Date: 20-06-2025

Report No.: 25M8878

## TEST REPORT

Page 2 of 4  
Date: 20-06-2025

Report No.: 25M8878

### PART-A: PARTICULARS OF SAMPLE SUBMITTED:

Nature of sample : UPVC Profile for Windows and Doors  
 Grade/Variety/Type/Class : UPVC Profile, Mono Extrusion, Profile Design & Size – RST-92  
 Brand Name, if any :  
 Declared Value, if any : Width-92, Depth-50, Thickness-2.1, Moment of inertia Ix-186048,758mm<sup>4</sup>  
 e-45,667mm, Weight – 1.24 kg/m  
 Code No. : 10483640/2025/SS11  
 Designation Code :  
 Batch No. & Date of Mfg. : Trial Batch & 1 May, 2025  
 Quantity of sample received : 10 nos. of 1m profile, 3 no's, of welded corner for tensile bending test  
 3 no's, of Welded T Joints for Tensile Bending, 3 no's, of welded corner  
 for Compression Bending 3 no's, of Welded T Joints for Compression  
 Bending test.  
 Condition of sample received : Satisfactory  
 Mode of packing :  
 Manner of seal :  
 Manner of Signature :  
 Other information if any :

### PART-B: SUPPLEMENTARY INFORMATION:

a) Reference to the sampling procedure, wherever applicable: N/A  
 b) Supporting to the documents for the measurement taken and result derived like graph, table, sketches, and/or photographs as appropriate to test report, if any [To be attached]: N/A  
 c) Deviation from the test methods as prescribed in relevant ISS/work instruction, if any: N/A

### PART - C: TEST RESULTS:

TEST REPORT AS PER IS 17953:2023

I. Chemical & Mechanical

Test Method: IS 17953:2023

Test performed on: 14-05-2025 to 20-06-2025

Sr. no.	Clause No.	Test (s)	Unit	Requirement	Result obtained
1	5.1.1	UV Resistant Virgin Material	--	UV resistant / Non UV resistant	UV Resistant
		Vicat Softening Temperature as per IS 13360 (Part 6/Sec 1)	°C	≥ 75.0 Average ≥ 73.0 Individual	84.7 83.0
		Flexural Modulus of Elasticity as per IS 13360 (Part 5/Sec 7)	N/mm <sup>2</sup>	≥ 2200.0 Average ≥ 2000.0 Individual	2450 2400
		Tensile Impact Strength as per IS 13360 (Part 5/Sec 27)	kJ/m <sup>2</sup>	≥ 600.0 Average ≥ 450.0 Individual	630 625
2	5.2	Appearance of uPVC Profile (as per IS/ISO 105A01)	--	The colour of the profile shall be the same and uniform on all visible surfaces. The surfaces of the profiles shall be smooth and free from pitting, impurities, cavities and other surface defects when viewed in accordance with 6.1 The edges of the profiles shall be clean and burr-free	Satisfactory Satisfactory Satisfactory

Govt. Approved Laboratory  
ISO 9001 : 2015, ISO 14001:2015 & OHAS 1800:2007 Certified Laboratory



#### Terms & Conditions:

1. Sample will not be retained more than one month for chemical and three month for mechanical unless specified instructed. 2. Sample analysis conducted on as received basis and followed by customer description unless specified otherwise. 3. The laboratory will not be liable for sample destroy/damage during testing unless instructed otherwise. 4. Any complaints matter about this report should be communicated in written, within 7 days of issue of this report. 5. The result listed refer only to the tested samples and applicable parameters as described by customer. Endorsement of product is neither inferred nor implies. 6. Total liability of our laboratory is limited to the invoiced amount only. 7. This report cannot be used as an evidence in a court of law without the written approval of the laboratory.

Page 6 of 8

Sr. no	Clause No.	Test (s)	Unit	Requirement	Result obtained	
9	5.8	Weldability				
		5.8.1	Tensile Bending Test	N/mm <sup>2</sup>	≥ 16 Individual value > 20 Avg. value	22.8 24.0
		5.8.2	Compression Bending Test	N/mm <sup>2</sup>	≥ 24 Individual value > 28 Avg. value	30.4 31.9
10	5.9	Charpy Impact Strength (before artificial Weathering)	kJ/m <sup>2</sup>	≥ 65	66.8	
11	5.10.3	Charpy Impact Strength (after artificial Weathering)	kJ/m <sup>2</sup>	≥ 52	Test Under process	
		Max. Impact of Reduction (after artificial Weathering)	%	20	Test Under process	
12	5.10.4	Colour Fastness (after artificial Weathering)	--	ΔE ≤ 5 Δb ≤ 3	Test Under process	
13	5.11	Density	g/cm <sup>3</sup>	1.40 to 1.50	1.48	

PART - D: REMARKS: The above submitted sample/product conforms to the requirements of IS 17953:2023 with respect to above test only.

Note: 1) Selection of samples for individual test have been done in accordance with respective clauses of IS 17953:2023  
 2) Details of sub-contracted: Nil  
 3) Remnant samples will be disposed off after 03 months from the date of issue of test report.

End of Report



*Rahul*  
 Rahul  
 ASSISTANT MANAGER-TESTING  
 Authorised Signatory

Govt. Approved Laboratory  
ISO 9001 : 2015, ISO 14001:2015 & OHAS 1800:2007 Certified Laboratory

#### Terms & Conditions:

1. Sample will not be retained more than one month for chemical and three month for mechanical unless specified instructed. 2. Sample analysis conducted on as received basis and followed by customer description unless specified otherwise. 3. The laboratory will not be liable for sample destroy/damage during testing unless instructed otherwise. 4. Any complaints matter about this report should be communicated in written, within 7 days of issue of this report. 5. The result listed refer only to the tested samples and applicable parameters as described by customer. Endorsement of product is neither inferred nor implies. 6. Total liability of our laboratory is limited to the invoiced amount only. 7. This report cannot be used as an evidence in a court of law without the written approval of the laboratory.

Page 6 of 8

End of Report

**सेन्ट्रल इंस्टिट्यूट ऑफ पेट्रोकेमिकल इंजीनियरिंग एण्ड टेक्नोलॉजी**  
 (रसायन एवं पेट्रोकेमिकल विभाग, रसायन एवं उर्वरक मंत्रालय, भारत सरकार)  
 एच.सी.एस. पोस्ट, आई.डी.ए., फेज - 2, चेरलपल्ली, हैदराबाद-500 049.  
**CENTRAL INSTITUTE OF PETROCHEMICALS ENGINEERING & TECHNOLOGY**  
 (Department of Chemicals & Petrochemicals, Ministry of Chemicals & Fertilizers, Govt. of India)  
 H.C.L. Post, IDA - Phase - II, Cherlapally, Hyderabad - 500 051.  
 Phone : 040-27263750, 27263615, Fax : 91-40-27264051  
 E-mail : testing-hyderabad@cipect.gov.in / hyderabad@cipect.gov.in Web : www.cipect.gov.in

**Plastics Testing Centre**

No.: 0140748 Test Certificate Page 1 of 2  
 Issued to: M/s. Ravi Raja Industries Pvt.Ltd Date: 11.12.2024  
 Plot No.488,TIF MSME Green Park,  
 Dandumakapuram Vill-508 252

Ref : Your Letter No. Nil, Dtd. Nil  
 TEST REPORT AS PER :- ASTM D/IS  
 PART A : PARTICULARS OF SAMPLE SUBMITTED REPORT NO: 2400964

a) Name of the Sample : UPVC Profile as stated by party  
 b) Grade/Variety/Type/Size/Class : Nil  
 c) Declared values, if any : Brand – S CRAFT  
 d) Code No. : Nil  
 e) Batch No. and Date of Manufacture : Nil  
 f) Quantity : 2.5 Track 1 mtr x 3 nos. & "L" Joint section – 3 nos.  
 g) Mode of Packing : Nil  
 h) Seal : Nil  
 i) Any other information : Samples received on 18.11.2024  
 j) Date of Initiation of testing : 18.11.2024  
 k) Date of Completion of testing : 06.12.2024

PART B: SUPPLEMENTARY INFORMATION

a) Reference to sampling Procedure : Nil  
 b) Supporting documents for the measurement taken and result derived : Nil  
 c) Deviation from the test method as prescribed in relevant work instructions, if any : Nil  
 d) Statement of conformity as per the test result obtained : As per Part-C  
 e) Decision Rule applicable or not : Nil

**Certificate**

This is to Certify that  
**RAVIRAJA INDUSTRIES PRIVATE LIMITED**  
 H No. 3-9-388/P51, Saraswathi Nagar, Old Check Post, Opp. SNR Sri Kalakuteers Apartment, Chintalkunta, Hyderabad - 500074, India

has been found in Compliance with requirements of  
**Quality Management System**  
**ISO 9001:2015**  
 for the following scope:  
**MANUFACTURER OF UPVC PROFILES**

Certificate No. : QMS/74DA/0924  
 Original Certificate Date : 20-September-2024  
 Issue Date : 20-September-2024  
 Expiry Date : 19-September-2027

To check this certificate status visit:  
 "http://uasl.uk.com/certifiedorganization"

Quality Control Certification  
 UK Office: 82, ADLEY STREET, LONDON - E5 0DZ, United Kingdom  
 India Office: 2nd Floor, Aman Market, Narela Mandi, Delhi - 110 040, India

Quality Control Certification (QCC) accredited by "UASL, England, UK". This certificate remains the property of "QCC" to whom it must be returned on request.






MULTI-CHAMBER DESIGN  
STEEL REINFORCEMENT  
DUST & NOISE REDUCTION GASKETS







## REDEFINING DOOR DESIGNS FOR MODERN LIVING



### Office:

H.No. 3-9-388/P51, Saraswathi Nagar, Chinthalkunta, Old Check Post, L.B. Nagar, Hyderabad – 500 074. T.S.

### Factory:

Plot No. 488, Phase - II,  
TSIIC Industrial Development Area, TIF MSME Green Park,  
Dandumalkapuram Vill, Choutuppal Mdl, Yadadri Dist. – 508252.

Whats app Number: +91 898 558 7272 | E: [scraftprofiles@gmail.com](mailto:scraftprofiles@gmail.com) | [www.scraftwindows.com](http://www.scraftwindows.com)